

# **Geomechanics of Oil Shale In-situ Conversion Process**


**Sau-Wai Wong, Taixu Bai and Shailesh Ekbote**  
**Shell Exploration and Production Company**  
**Houston, TX**

27<sup>th</sup> Oil Shale Symposium  
Colorado School of Mines  
October, 2007




# In Situ Conversion Process (ICP)


- Heaters inserted into holes to gradually heat shale subsurface
- Applicable to oil shale and heavy oil
- Technology converts kerogen by gradual heating in oil shale
- Results in a high recovery of light hydrocarbon products yielding high quality transportation fuels



# Freeze Wall Concept




# ICP and GEOMECHANICS

- Large variation in rock temp (from - 40 to > 400 °C)
  - Thermal stresses and rock deformation
  - Important to understanding and model rock behavior
- 


# Factors Affecting Thermal & Mechanical Properties of Oil Shale

- Richness
- Vugs and Fractures
- Bedding and Anisotropy
- Stress
- Temperature




# Oil Shale Rock Mechanics

- Kerogen is part of rock structure
- Significant changes in rock mechanical properties with kerogen removal



Unconfined Compressive Strength (psi)



Stiffness (psi)

# High-Temperature Rock Mechanics Laboratory

- Mechanical Properties, Thermal Conductivity, Permeability, Thermal Expansion & Creep



# Block Size Tests of Oil Shale



# Summary

- Geomechanics is an important consideration for ICP
  - Extensive laboratory tests as well as field measurements have been carried out to understand rock mechanical behavior of oil shale
  - Thermal-Geomechanical models have been developed and validated. These models are used in the design of Freeze Wall Containment System
- 